

Rfq.alibaba.com 大买家采购

酒店工程采购清单

紧急采购 (7.18-8.17)

采购商品	属性规格
Fire door (防火门)	Fire Door Set: FD30, FD60 Wooden Fire Door
Pre-Hung Door set (预挂门)	Door leaf and door frame assembled completely in factory. 门扇和门框在出工厂之前完成安装 Material; MDF 材质：中密度纤维板 Finish; glossy painted finish in white 白色光泽涂漆表面 Handles; stainless steel 304 - or specify your standard handle 门把手：304 不锈钢 或者供应商提供把手规格 Hinge; specify your standard finish 合页：阐述自己的标准 Architrave; MDF decorated white

	<p>(approximately 70mm wide) - specify your standard dimensions for architrave</p> <p>楣梁：MDF 白色材质（大约 70mm 宽）</p>
Curtain Wall (幕墙)	<p>UK standard, good quality</p> <p>UK 标准，质量过硬</p>
Windows and Doors Aluminum (门窗铝型材)	<p>Good Quality, experience for supplying to UK market.</p>
Hotel Furniture (酒店家具)	<p>Hotel bedding, quilts, protectors, curtains, mattress</p> <p>酒店床上用品，被子，保护，窗帘，床垫</p>
Tiles (瓷砖)	<p>Wall tile: 300x600mm; 墙壁瓷砖：300*600mm</p> <p>floor tile: 300x300mm 地面瓷砖</p> <p>Floor tile: anti-slip R11 地面瓷砖：R11 防滑瓷砖</p> <p>Creamy or Neturl color. 奶油或中性色</p>
TV (智能电视)	<ul style="list-style-type: none"> • Smart TV (for use in hotel) • Size; approximately 40" LCD TV. <p>酒店用智能电视，40 寸 LCD 电视</p>
Fridge (小冰箱)	<p>Size; small fridge like minibar. Dimensions approximately 600 x 400 x 450 (H x W x D)</p>

	<p>酒店 minibar 小冰箱</p> <p>Must have sliding hinge for simultaneous opening of furniture and fridge door.</p> <p>带滑动合页门可以让冰箱嵌入到柜子里</p> <p>Fridge compartment only. Does not require a freezer compartment.</p> <p>只需要有冷藏箱，无须冷冻箱</p>
--	---

Heating & Ventilation (加热和通风设备)

采购商品	属性规格
Boiler (锅炉)	Combination Boiler, Gas Boiler, System boiler with combined HWS cylinder 组合式锅炉 (天然气锅炉) 带 HWS 气缸锅炉
Flues (烟道)	Concentric air/flue duct 60/100Ø - various fittings Air duct 80Ø - various fittings Flue duct 80Ø - various fittings 同心空气/烟道 60 /100 Ø - 各种配件风管 80 Ø - 各种配件 烟道 80O - 各种配件
Flue Terminals (烟道)	Plume deflector horizontal (white) Vertical air/flue duct terminal 羽导流水平 (白色) 垂直空气/烟道终端
Mechanical Heat Recovery Ventilation (MHRV) Unit (机械热回收通风)	
Ductwork – Extract (管道)	204x60 - various fittings
Ductwork – Supply (管道)	204x60 insulated - various fittings

Pipes & Valves 管道&阀门

采购商品	属性规格
Low Pressure Hot Water (LPHW) Pipework Insulation 低 压热水管道 (保温)	Cross-linked polyethylene to DIN 16892/16893 聚乙烯 DIN16892/16893
Domestic Water Services (DWS) Pipework Insulation	Copper tube to EN1057 R220 Table X EN1057 R220 铜管
Drainage Foul/Rain Water (排 污排水管道)	PVC-U BS EN 1329 Solvent welded joints Cast Iron Cast Iron BS EN 877 PVC-U waste manifolds Rain water gullies/traps PVC-U BS EN1329 焊接溶剂铸铁铸铁 BS EN877 接头 PVC-U 排污排水管
Condensate (冷凝水管)	PVC-U BS EN 1329
Dry Riser	Victaulic pipework Gate vales Inlet/outlet boxes 唯特利管道闸阀进口/出口箱
Gas	TracePipe MDPE
Valves	LPHW – Isolation Valves (IV), LPHW – Safety Valves (SV), DWS – Stop Cocks, DWS – Isolation Valves, DWS – Bath TMV3 Valves, DWS – Pressure Reducing Valves (PRV), DWS – Double Check Valves (DCV) ,Gas – Isolation Valves

	<p>LPHW - 隔离阀 (IV), LPHW - 安全阀 (SV), DWS - 停止公鸡 , DWS - 隔离阀 , DWS - 淋浴 TMV3 阀 门 , DWS - 减压阀 (PRV), DWS - 双止回阀 (DCV) 燃气 - 隔离阀</p>
--	--

Lighting System 照明设备

采购商品	属性规格
Downlights (筒灯)	LED, 3000k, Driver specification critical 关键驱动程序规范
Common parts downlights / bulkheads	LED.
Car Park / External luminaires (停车场内/外部照明)	LED, IP65 required. IP65 LED
Feature area lighting 功能区域照明	-
PIR (infrared presence detectors) PIR (红外线检测)	360 deg Infrared presence detector equivalent to CP Electronics EBDS 360 度红外存在探测器相当于 CP 电子 EBDHS
Photocell / solar dial time switches 光电/太阳能拨号定时开关	7 day 24 hour operation with 2No. on/off periods equivalent to Sangamo 7*24 时

Cables 电缆

Purchase Item	Specification
Flexible cables and cords 软电缆和软线	Butyl rubber insulated and sheeted equivalent to Prysmian, Eland, Draka cables. 丁基橡胶绝缘和护套相当于普睿司曼，伊兰，特雷卡电缆。
Cu XLPE/SWA/LSZH	Copper, cross-linked polyethylene insulated, steel wire armoured and low smoke zero halogen served multi-core cables equivalent to Prysmian, Eland, Draka cables. 铜质，交联聚乙烯绝缘钢丝铠装低烟无卤担任多芯电缆相当于普睿司曼，伊兰，特雷卡电缆。
Cu LSZH/LSZH	Copper, low smoke zero halogen insulated and sheathed flat multicore cables equivalent to Prysmian, Eland, Draka cables. 铜，低烟无卤绝缘和相当于普睿司曼，伊兰，特雷卡电缆护套扁型多芯电缆。
Cu LSZH/SC	Copper, low smoke zero halogen insulated, single core cables equivalent to Prysmian, Eland, Draka cables. 铜，低烟无卤绝缘单芯电缆相当于普睿司曼，伊兰，

	特雷卡电缆。
BS8519 Category 1	30 minute fire rated cables equivalent to Firetuff & FP200 Gold.
BS8519 Category 2	60 minute fire rated cables equivalent to Firetuff & FP200 Gold.
BS8519 Category 3	90 minute fire rated cables equivalent to Firetuff & FP200 Gold.
Conduit	PVC/Flexible/Galvanised Steel equivalent to Cableduct, Kopex, Marshall Tufflex, Legrand, Walsall
Trunking/ Cable tray	Galvanised Steel equivalent to Cableduct, Kopex, Marshall Tufflex, Legrand, Walsall
Tray	<p>Standard Duty galvanised equivalent to Lasnek, Legrand, Marshall Tufflex, Unistrut, Vantrunk, Walsall</p> <p>Pre-galvanised is 180g Per square meters ,means 12um -20 um thickness , if Hot dipped galvanised ,above 65-80um thickness .</p> <p>标准镀锌职责相当于 Lasnek , 罗格朗 , 马歇尔 Tufflex , Unistrut , Vantrunk , 沃尔索尔</p> <p>预镀锌是 180 克每平方米 ,这意味着 12UM-20 微米</p>

	厚，如果热镀锌，上述 65-80um 厚度。
--	------------------------

注：属性规格以英文描述为准